

Local Coverage Article: Billing and Coding: Lab: Controlled Substance Monitoring and Drugs of Abuse Testing (A54799)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Palmetto GBA	A and B MAC	10111 - MAC A	J - J	Alabama
Palmetto GBA	A and B MAC	10112 - MAC B	J - J	Alabama
Palmetto GBA	A and B MAC	10211 - MAC A	J - J	Georgia
Palmetto GBA	A and B MAC	10212 - MAC B	J - J	Georgia
Palmetto GBA	A and B MAC	10311 - MAC A	J - J	Tennessee
Palmetto GBA	A and B MAC	10312 - MAC B	J - J	Tennessee
Palmetto GBA	A and B and HHH MAC	11201 - MAC A	J - M	South Carolina
Palmetto GBA	A and B and HHH MAC	11202 - MAC B	J - M	South Carolina
Palmetto GBA	A and B and HHH MAC	11301 - MAC A	J - M	Virginia
Palmetto GBA	A and B and HHH MAC	11302 - MAC B	J - M	Virginia
Palmetto GBA	A and B and HHH MAC	11401 - MAC A	J - M	West Virginia
Palmetto GBA	A and B and HHH MAC	11402 - MAC B	J - M	West Virginia
Palmetto GBA	A and B and HHH MAC	11501 - MAC A	J - M	North Carolina
Palmetto GBA	A and B and HHH MAC	11502 - MAC B	J - M	North Carolina

Article Information

General Information

Article ID

A54799

Original Effective Date

12/24/2015

Article Title

Billing and Coding: Lab: Controlled Substance
Monitoring and Drugs of Abuse Testing

Revision Effective Date

10/01/2020

Article Type

Billing and Coding

Revision Ending Date

N/A

**AMA CPT / ADA CDT / AHA NUBC Copyright
Statement****Retirement Date**

N/A

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2020, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

Title XVIII of the Social Security Act, §1833(e) prohibits Medicare payment for any claim lacking the necessary documentation to process the claim.

Article Guidance

Article Text:

The information in this article contains billing, coding, or other guidelines that complement the Local Coverage Determination (LCD) for Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L35724.

Effective January 1, 2017, controlled substance testing providers should apply the following coding and billing guidelines for L35724 – Lab: Controlled Substance Monitoring and Drugs of Abuse.

- To receive reimbursement for controlled substance and drugs of abuse testing, the service reported on the

claim MUST match the service ordered by the physician.

- Incidental findings not ordered by the physician are not a covered service and will be denied.
- A maximum of one presumptive urine drug test may be submitted and paid per patient DOS.
- A maximum of one definitive urine drug test may be submitted and paid per patient DOS.

Reminder - DOS refers to the date of the sample collection, not the date the test was run.

Presumptive Urine Drug Testing (UDT)

Providers may ONLY perform and report one of the following three types of presumptive UDT available per patient DOS:

1. **80305**: Drug test(s), presumptive, any number of drug classes; any number of devices or procedures, (e.g. immunoassay) capable of being read by direct optical observation only (e.g., dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service.
2. **80306**: Drug test(s), presumptive, any number of drug classes, qualitative, any number of devices or procedures, (e.g., immunoassay) read by instrument assisted direct optical observation (e.g., dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service.
3. **80307**: Drug test(s), presumptive, any number of drug classes, qualitative, any number of devices or procedures by instrument chemistry analyzers (e.g., utilizing immunoassay [e.g., EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (e.g., GC, HPLC), and mass spectrometry either with or without chromatography, (e.g., DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service.

Definitive (Qualitative or Quantitative) UDT Testing

Based on the number of drug classes indicated for the patient's needs, providers may ONLY perform and report one of the following five UDT services per patient DOS:

1. **G0480**: Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed.
2. **G0481**: Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolites(s) if performed.
3. **G0482**: Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited

to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug classes, including metabolites(s) if performed.

4. **G0483**: Drug test(s) definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug classes, including metabolites(s) if performed.
5. **G0659**: Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes.

Coding/Billing Clarification of Non-Covered Services

- Reflex testing for IA presumptive positives may only be performed by laboratories other than physician office labs (POL). Physicians in POL are expected to determine the medical necessity for definitive testing for a presumptive positive result and document the necessity in the medical record because they have specific patient information and may not need definitive testing.
- When a presumptive test is negative for a patient on a prescribed medication, a definitive drug test may be performed.
- Only one presumptive service may be billed per patient, per DOS, regardless of the provider.
- Medicare will process the first presumptive service received per patient, per DOS. All subsequent claims for a presumptive service for the same patient and same DOS will be denied.
- Only one definitive service may be billed per patient, per DOS, regardless of the provider.
- Medicare will process the first definitive service received per patient, per DOS. All subsequent claims for a definitive service for the same patient and same DOS will be denied.

To report a Controlled Substance Monitoring and Drugs of Abuse Testing service, please submit the following claim information:

- Select the appropriate CPT[®] code
- Enter 1 unit of service (UOS)
- Select the appropriate ICD-10-CM code

Coding Information

CPT/HCPCS Codes**Group 1 Paragraph:**

The following codes are new and effective 01/01/2017: G0659, 80305, 80306 and 80307.

Group 1 Codes:

CODE	DESCRIPTION
80305	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; CAPABLE OF BEING READ BY DIRECT OPTICAL OBSERVATION ONLY (EG, UTILIZING IMMUNOASSAY [EG, DIPSTICKS, CUPS, CARDS, OR CARTRIDGES]), INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
80306	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; READ BY INSTRUMENT ASSISTED DIRECT OPTICAL OBSERVATION (EG, UTILIZING IMMUNOASSAY [EG, DIPSTICKS, CUPS, CARDS, OR CARTRIDGES]), INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
80307	DRUG TEST(S), PRESUMPTIVE, ANY NUMBER OF DRUG CLASSES, ANY NUMBER OF DEVICES OR PROCEDURES; BY INSTRUMENT CHEMISTRY ANALYZERS (EG, UTILIZING IMMUNOASSAY [EG, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), CHROMATOGRAPHY (EG, GC, HPLC), AND MASS SPECTROMETRY EITHER WITH OR WITHOUT CHROMATOGRAPHY, (EG, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) INCLUDES SAMPLE VALIDATION WHEN PERFORMED, PER DATE OF SERVICE
G0480	DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 1-7 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED
G0481	DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE

CODE	DESCRIPTION
	ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 8-14 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED
G0482	DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 15-21 DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED
G0483	DRUG TEST(S), DEFINITIVE, UTILIZING (1) DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING, BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM AND EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE)), (2) STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARDS IN ALL SAMPLES (E.G., TO CONTROL FOR MATRIX EFFECTS, INTERFERENCES AND VARIATIONS IN SIGNAL STRENGTH), AND (3) METHOD OR DRUG-SPECIFIC CALIBRATION AND MATRIX-MATCHED QUALITY CONTROL MATERIAL (E.G., TO CONTROL FOR INSTRUMENT VARIATIONS AND MASS SPECTRAL DRIFT); QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY; 22 OR MORE DRUG CLASS(ES), INCLUDING METABOLITE(S) IF PERFORMED
G0659	DRUG TEST(S), DEFINITIVE, UTILIZING DRUG IDENTIFICATION METHODS ABLE TO IDENTIFY INDIVIDUAL DRUGS AND DISTINGUISH BETWEEN STRUCTURAL ISOMERS (BUT NOT NECESSARILY STEREOISOMERS), INCLUDING BUT NOT LIMITED TO GC/MS (ANY TYPE, SINGLE OR TANDEM) AND LC/MS (ANY TYPE, SINGLE OR TANDEM), EXCLUDING IMMUNOASSAYS (E.G., IA, EIA, ELISA, EMIT, FPIA) AND ENZYMATIC METHODS (E.G., ALCOHOL DEHYDROGENASE), PERFORMED WITHOUT METHOD OR DRUG-SPECIFIC CALIBRATION, WITHOUT MATRIX-MATCHED QUALITY

CODE	DESCRIPTION
	CONTROL MATERIAL, OR WITHOUT USE OF STABLE ISOTOPE OR OTHER UNIVERSALLY RECOGNIZED INTERNAL STANDARD(S) FOR EACH DRUG, DRUG METABOLITE OR DRUG CLASS PER SPECIMEN; QUALITATIVE OR QUANTITATIVE, ALL SOURCES, INCLUDES SPECIMEN VALIDITY TESTING, PER DAY, ANY NUMBER OF DRUG CLASSES
0143U	DRUG ASSAY, DEFINITIVE, 120 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0144U	DRUG ASSAY, DEFINITIVE, 160 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0145U	DRUG ASSAY, DEFINITIVE, 65 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0146U	DRUG ASSAY, DEFINITIVE, 80 OR MORE DRUGS OR METABOLITES, URINE, BY QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0147U	DRUG ASSAY, DEFINITIVE, 85 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0148U	DRUG ASSAY, DEFINITIVE, 100 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0149U	DRUG ASSAY, DEFINITIVE, 60 OR MORE DRUGS OR METABOLITES, URINE, QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE
0150U	DRUG ASSAY, DEFINITIVE, 120 OR MORE DRUGS OR METABOLITES, URINE,

CODE	DESCRIPTION
	QUANTITATIVE LIQUID CHROMATOGRAPHY WITH TANDEM MASS SPECTROMETRY (LC-MS/MS) USING MULTIPLE REACTION MONITORING (MRM), WITH DRUG OR METABOLITE DESCRIPTION, COMMENTS INCLUDING SAMPLE VALIDATION, PER DATE OF SERVICE

CPT/HCPCS Modifiers

N/A

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph:

N/A

Group 1 Codes:

ICD-10 CODE	DESCRIPTION
E87.2	Acidosis
F10.11	Alcohol abuse, in remission
F10.130	Alcohol abuse with withdrawal, uncomplicated
F10.131	Alcohol abuse with withdrawal delirium
F10.132	Alcohol abuse with withdrawal with perceptual disturbance
F10.20	Alcohol dependence, uncomplicated
F11.11	Opioid abuse, in remission
F11.13	Opioid abuse with withdrawal
F11.20	Opioid dependence, uncomplicated
F11.220	Opioid dependence with intoxication, uncomplicated
F11.221	Opioid dependence with intoxication delirium
F11.222	Opioid dependence with intoxication with perceptual disturbance
F11.23	Opioid dependence with withdrawal
F11.24	Opioid dependence with opioid-induced mood disorder
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11.281	Opioid dependence with opioid-induced sexual dysfunction
F11.282	Opioid dependence with opioid-induced sleep disorder
F11.288	Opioid dependence with other opioid-induced disorder
F12.11	Cannabis abuse, in remission

ICD-10 CODE	DESCRIPTION
F12.13	Cannabis abuse with withdrawal
F12.23	Cannabis dependence with withdrawal
F12.93	Cannabis use, unspecified with withdrawal
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission
F13.130	Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated
F13.131	Sedative, hypnotic or anxiolytic abuse with withdrawal delirium
F13.132	Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance
F14.11	Cocaine abuse, in remission
F14.13	Cocaine abuse, unspecified with withdrawal
F14.93	Cocaine use, unspecified with withdrawal
F15.11	Other stimulant abuse, in remission
F15.13	Other stimulant abuse with withdrawal
F16.11	Hallucinogen abuse, in remission
F18.10	Inhalant abuse, uncomplicated
F18.11	Inhalant abuse, in remission
F18.120	Inhalant abuse with intoxication, uncomplicated
F18.90	Inhalant use, unspecified, uncomplicated
F19.11	Other psychoactive substance abuse, in remission
F19.130	Other psychoactive substance abuse with withdrawal, uncomplicated
F19.131	Other psychoactive substance abuse with withdrawal delirium
F19.132	Other psychoactive substance abuse with withdrawal with perceptual disturbance
F19.20	Other psychoactive substance dependence, uncomplicated
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
F20.2	Catatonic schizophrenia
F20.89	Other schizophrenia
F55.0	Abuse of antacids
F55.1	Abuse of herbal or folk remedies
F55.2	Abuse of laxatives
F55.3	Abuse of steroids or hormones
F55.4	Abuse of vitamins
F55.8	Abuse of other non-psychoactive substances

ICD-10 CODE	DESCRIPTION
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.42	Cyclin-Dependent Kinase-Like 5 Deficiency Disorder
G89.29	Other chronic pain
G89.4	Chronic pain syndrome
I44.0	Atrioventricular block, first degree
I44.1	Atrioventricular block, second degree
I44.30	Unspecified atrioventricular block
I45.81	Long QT syndrome
I47.0	Re-entry ventricular arrhythmia
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia
I49.2	Junctional premature depolarization
M25.511	Pain in right shoulder
M25.512	Pain in left shoulder
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region
M47.22	Other spondylosis with radiculopathy, cervical region
M47.23	Other spondylosis with radiculopathy, cervicothoracic region
M47.26	Other spondylosis with radiculopathy, lumbar region
M47.27	Other spondylosis with radiculopathy, lumbosacral region

ICD-10 CODE	DESCRIPTION
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M47.891	Other spondylosis, occipito-atlanto-axial region
M47.892	Other spondylosis, cervical region
M47.893	Other spondylosis, cervicothoracic region
M47.896	Other spondylosis, lumbar region
M47.897	Other spondylosis, lumbosacral region
M47.898	Other spondylosis, sacral and sacrococcygeal region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M54.10	Radiculopathy, site unspecified
M54.12	Radiculopathy, cervical region
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
ICD-10 CODE	DESCRIPTION
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.2	Cervicalgia
M54.5	Low back pain
M60.811	Other myositis, right shoulder
M60.812	Other myositis, left shoulder
M60.821	Other myositis, right upper arm

ICD-10 CODE	DESCRIPTION
M60.822	Other myositis, left upper arm
M60.831	Other myositis, right forearm
M60.832	Other myositis, left forearm
M60.841	Other myositis, right hand
M60.842	Other myositis, left hand
M60.851	Other myositis, right thigh
M60.852	Other myositis, left thigh
M60.861	Other myositis, right lower leg
M60.862	Other myositis, left lower leg
M60.871	Other myositis, right ankle and foot
M60.872	Other myositis, left ankle and foot
M60.88	Other myositis, other site
M60.89	Other myositis, multiple sites
M79.2	Neuralgia and neuritis, unspecified
M79.7	Fibromyalgia
R40.0	Somnolence
R40.1	Stupor
R40.2110	Coma scale, eyes open, never, unspecified time
R40.2111	Coma scale, eyes open, never, in the field [EMT or ambulance]
R40.2112	Coma scale, eyes open, never, at arrival to emergency department
R40.2113	Coma scale, eyes open, never, at hospital admission
R40.2114	Coma scale, eyes open, never, 24 hours or more after hospital admission
R40.2120	Coma scale, eyes open, to pain, unspecified time
R40.2121	Coma scale, eyes open, to pain, in the field [EMT or ambulance]
R40.2122	Coma scale, eyes open, to pain, at arrival to emergency department
R40.2123	Coma scale, eyes open, to pain, at hospital admission
R40.2124	Coma scale, eyes open, to pain, 24 hours or more after hospital admission
R40.2210	Coma scale, best verbal response, none, unspecified time
R40.2211	Coma scale, best verbal response, none, in the field [EMT or ambulance]
R40.2212	Coma scale, best verbal response, none, at arrival to emergency department
R40.2213	Coma scale, best verbal response, none, at hospital admission
R40.2214	Coma scale, best verbal response, none, 24 hours or more after hospital admission

ICD-10 CODE	DESCRIPTION
R40.2220	Coma scale, best verbal response, incomprehensible words, unspecified time
R40.2221	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]
R40.2222	Coma scale, best verbal response, incomprehensible words, at arrival to emergency department
R40.2223	Coma scale, best verbal response, incomprehensible words, at hospital admission
R40.2224	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission
R40.2310	Coma scale, best motor response, none, unspecified time
R40.2311	Coma scale, best motor response, none, in the field [EMT or ambulance]
R40.2312	Coma scale, best motor response, none, at arrival to emergency department
R40.2313	Coma scale, best motor response, none, at hospital admission
R40.2314	Coma scale, best motor response, none, 24 hours or more after hospital admission
R40.2320	Coma scale, best motor response, extension, unspecified time
R40.2321	Coma scale, best motor response, extension, in the field [EMT or ambulance]
R40.2322	Coma scale, best motor response, extension, at arrival to emergency department
R40.2323	Coma scale, best motor response, extension, at hospital admission
R40.2324	Coma scale, best motor response, extension, 24 hours or more after hospital admission
R40.2340	Coma scale, best motor response, flexion withdrawal, unspecified time
R40.2341	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]
R40.2342	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department
R40.2343	Coma scale, best motor response, flexion withdrawal, at hospital admission
R40.2344	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission
R41.82	Altered mental status, unspecified
R44.0	Auditory hallucinations
R44.2	Other hallucinations
R44.3	Hallucinations, unspecified
R45.850	Homicidal ideations
R45.851	Suicidal ideations
R56.9	Unspecified convulsions

ICD-10 CODE	DESCRIPTION
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39.013A	Poisoning by aspirin, assault, initial encounter
T39.014A	Poisoning by aspirin, undetermined, initial encounter
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39.093A	Poisoning by salicylates, assault, initial encounter
T39.094A	Poisoning by salicylates, undetermined, initial encounter
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter
T40.0X3A	Poisoning by opium, assault, initial encounter
T40.0X4A	Poisoning by opium, undetermined, initial encounter
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter

ICD-10 CODE	DESCRIPTION
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter
T40.1X3A	Poisoning by heroin, assault, initial encounter
T40.1X4A	Poisoning by heroin, undetermined, initial encounter
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter
ICD-10 CODE	DESCRIPTION
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T40.2X3A	Poisoning by other opioids, assault, initial encounter
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter
T40.3X3A	Poisoning by methadone, assault, initial encounter
T40.3X4A	Poisoning by methadone, undetermined, initial encounter
T40.411A	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter
T40.411D	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), subsequent encounter
T40.411S	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter
T40.412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter
T40.412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela
T40.413A	Poisoning by fentanyl or fentanyl analogs, assault, initial encounter
T40.413D	Poisoning by fentanyl or fentanyl analogs, assault, subsequent encounter
T40.413S	Poisoning by fentanyl or fentanyl analogs, assault, sequela
T40.414A	Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter
T40.414D	Poisoning by fentanyl or fentanyl analogs, undetermined, subsequent encounter
T40.414S	Poisoning by fentanyl or fentanyl analogs, undetermined, sequela
T40.421A	Poisoning by tramadol, accidental (unintentional), initial encounter
T40.421D	Poisoning by tramadol, accidental (unintentional), subsequent encounter
T40.421S	Poisoning by tramadol, accidental (unintentional), sequela
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter
T40.422D	Poisoning by tramadol, intentional self-harm, subsequent encounter
T40.422S	Poisoning by tramadol, intentional self-harm, sequela

ICD-10 CODE	DESCRIPTION
T40.423A	Poisoning by tramadol, assault, initial encounter
T40.423D	Poisoning by tramadol, assault, subsequent encounter
T40.423S	Poisoning by tramadol, assault, sequela
T40.424A	Poisoning by tramadol, undetermined, initial encounter
T40.424D	Poisoning by tramadol, undetermined, subsequent encounter
T40.424S	Poisoning by tramadol, undetermined, sequela
T40.491A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter
T40.491D	Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter
T40.491S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40.492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter
T40.492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela
T40.493A	Poisoning by other synthetic narcotics, assault, initial encounter
T40.493D	Poisoning by other synthetic narcotics, assault, subsequent encounter
T40.493S	Poisoning by other synthetic narcotics, assault, sequela
T40.494A	Poisoning by other synthetic narcotics, undetermined, initial encounter
T40.494D	Poisoning by other synthetic narcotics, undetermined, subsequent encounter
T40.494S	Poisoning by other synthetic narcotics, undetermined, sequela
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40.693A	Poisoning by other narcotics, assault, initial encounter
T40.694A	Poisoning by other narcotics, undetermined, initial encounter
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter

ICD-10 CODE	DESCRIPTION
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T42.3X3A	Poisoning by barbiturates, assault, initial encounter
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T42.71XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.73XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.74XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter
ICD-10 CODE	DESCRIPTION
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional

ICD-10 CODE	DESCRIPTION
	self-harm, initial encounter
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43.293A	Poisoning by other antidepressants, assault, initial encounter
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter
T43.613A	Poisoning by caffeine, assault, initial encounter
T43.614A	Poisoning by caffeine, undetermined, initial encounter
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43.623A	Poisoning by amphetamines, assault, initial encounter
T43.624A	Poisoning by amphetamines, undetermined, initial encounter
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43.633A	Poisoning by methylphenidate, assault, initial encounter
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter
T43.641A	Poisoning by ecstasy, accidental (unintentional), initial encounter
T43.641D	Poisoning by ecstasy, accidental (unintentional), subsequent encounter
T43.641S	Poisoning by ecstasy, accidental (unintentional), sequela
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela
T43.643A	Poisoning by ecstasy, assault, initial encounter
T43.643D	Poisoning by ecstasy, assault, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.643S	Poisoning by ecstasy, assault, sequela
T43.644A	Poisoning by ecstasy, undetermined, initial encounter
T43.644D	Poisoning by ecstasy, undetermined, subsequent encounter
T43.644S	Poisoning by ecstasy, undetermined, sequela
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43.693A	Poisoning by other psychostimulants, assault, initial encounter
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter
T46.0X1A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T46.0X3A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter
T46.0X4A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter
T50.901A	Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional

ICD-10 CODE	DESCRIPTION
	self-harm, initial encounter
T50.903A	Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter
T50.904A	Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter
Z03.821	Encounter for observation for suspected ingested foreign body ruled out
Z03.822	Encounter for observation for suspected aspirated (inhaled) foreign body ruled out
Z03.823	Encounter for observation for suspected inserted (injected) foreign body ruled out
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z51.81	Encounter for therapeutic drug level monitoring
Z79.3	Long term (current) use of hormonal contraceptives
Z79.891	Long term (current) use of opiate analgesic
Z79.899	Other long term (current) drug therapy
Z91.19	Patient's noncompliance with other medical treatment and regimen

ICD-10 Codes that DO NOT Support Medical Necessity

N/A

Additional ICD-10 Information

N/A

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

N/A

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

N/A

Other Coding Information

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2020	R13	<p>Under ICD-10 Codes that Support Medical Necessity – Group 1: Codes added codes F10.130, F10.131, F10.132, F11.13, F12.13, F13.130, F13.131, F13.132, F14.13, F14.93, F15.13, F19.130, F19.131, F19.132, G40.42, T40.411A, T40.411D, T40.411S, T40.412A, T40.412D, T40.412S, T40.413A, T40.413D, T40.413S, T40.414A, T40.414D, T40.414S, T40.421A, T40.421D, T40.421S, T40.422A, T40.422D, T40.422S, T40.423A, T40.423D, T40.423S, T40.424A, T40.424D, T40.424S, T40.491A, T40.491D, T40.491S, T40.492A, T40.492D, T40.492S, T40.493A, T40.493D, T40.493S, T40.494A, T40.494D, T40.494S, Z03.821, Z03.822, Z03.823 and deleted codes T40.4X1A, T40.4X2A, T40.4X3A, and T40.4X4A. This revision is due to the Annual ICD-10 Code Update and is effective on 10/1/20.</p> <p>Under ICD-10 Codes that Support Medical Necessity – Group 1: Codes deleted codes F11.229, F11.259, F11.29, G40.901, G40.909, G40.911, G40.919, M25.50, M60.9 and R40.20. This revision is effective on 10/1/20.</p>
01/01/2020	R12	<p>Under CPT/HCPCS Codes Group 1: Codes added HCPCS codes 0143U, 0144U, 0145U, 0146U, 0147U, 0148U, 0149U, 0150U. This revision is due to the Annual CPT®/HCPCS Code Update and becomes effective on 1/1/20.</p>
11/21/2019	R11	<p>This article is being revised in order to adhere to CMS requirements per chapter 13, section 13.5.1 of the Program Integrity Manual, to remove all coding from LCDs and incorporate into related Billing and Coding Articles. Title XVIII of the Social Security Act, §1833(e) was removed from the CMS National Coverage Policy section of the related Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L35724 LCD and placed in this article.</p>
08/29/2019	R10	<p>All coding located in the Coding Information section has been removed from the related Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L35724 LCD and added to this article.</p> <p>Under Article Title changed the title from "Controlled Substance Monitoring and Drugs of Abuse Coding and Billing Guidelines" to "Billing and Coding: Lab: Controlled Substance Monitoring and Drugs of Abuse Testing". Under Article Text added the</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		sentence "The information in this article contains billing, coding, or other guidelines that complement the Local Coverage Determination (LCD) for Lab: Controlled Substance Monitoring and Drugs of Abuse Testing L35724" to the first paragraph and added the last paragraph. Formatting, punctuation and typographical errors were corrected throughout the article.
04/05/2018	R9	Removed 2017 from the title.
02/26/2018	R8	The Jurisdiction "J" Part B Contracts for Alabama (10112), Georgia (10212) and Tennessee (10312) are now being serviced by Palmetto GBA. The notice period for this article begins on 12/14/17 and ends on 02/25/18. Effective 02/26/18, these three contract numbers are being added to this article. No coverage, coding or other substantive changes (beyond the addition of the 3 Part B contract numbers) have been completed in this revision.
01/29/2018	R7	The Jurisdiction "J" Part A Contracts for Alabama (10111), Georgia (10211) and Tennessee (10311) are now being serviced by Palmetto GBA. The notice period for this article begins on 12/14/17 and ends on 01/28/18. Effective 01/29/18, these three contract numbers are being added to this article. No coverage, coding or other substantive changes (beyond the addition of the 3 Part A contract numbers) have been completed in this revision.
11/23/2017	R6	Corrected bulleting issues. Content did not change.
04/06/2017	R5	Under "Presumptive Urine Drug Testing (UDT) " corrected the types of presumptive UDT available per patient DOS from four to three. Under "Definitive (Qualitative or Quantitative) UDT Testing" corrected the number of UDT services per patient DOS from four to five. System was updated to accept G0659: Added G0659 under Group 1 CPT codes.
01/26/2017	R4	Added the reminder sentence for DOS
01/26/2017	R3	Moved HCPCS code G0659 from Presumptive Urine Drug Testing to Definitive (Qualitative or Quantitative) UDT Testing
01/01/2017	R2	Changed the first sentence under Presumptive Urine Drug Testing (UDT) ; to read "...four types of presumptive UDT..." instead of three.
01/01/2017	R1	Added new 2017 CPT/HCPCS codes, replaced 2016 with 2017 and replaced "encounter" with DOS Moved codes under subtopic CPT/HCPCS Codes, from Group 1: Paragraph to Group 1: Codes Deleted G0477, G0478 and G0479 under Presumptive Urine Drug Testing topic Added G0659, 80305, 80306 and 80307

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		Replaced the word "encounter" with DOS

Associated Documents

Related Local Coverage Document(s)

LCD(s)

L35724 - Lab: Controlled Substance Monitoring and Drugs of Abuse Testing

Related National Coverage Document(s)

N/A

Statutory Requirements URL(s)

N/A

Rules and Regulations URL(s)

N/A

CMS Manual Explanations URL(s)

N/A

Other URL(s)

N/A

Public Version(s)

Updated on 09/10/2020 with effective dates 10/01/2020 - N/A

Updated on 12/16/2019 with effective dates 01/01/2020 - N/A

Updated on 11/11/2019 with effective dates 11/21/2019 - N/A

Updated on 08/22/2019 with effective dates 08/29/2019 - N/A

Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.

Keywords

N/A